

Elcometer P10T Pressure Tank

Compliance:

CE, UKCA, ATEX 2 II GX



The Elcometer P10T Pressure Tank has a 10 Litre tank capacity and is suitable for solvent and water-based paints.

Features

- Suitable for solvent and water-based paints.
- Safety compliant to International Standards.
- Body and lid in stainless steel, optional stainless steel reusable pressure pot liner.
- Top outlet connection, manual mixer, ideal for use with two spray guns.
- Dual air regulator with discharge valve, to regulate spray gun and pot pressure independently.

Technical Specifications

Part Number	Description
Tank Capacity	101
Agitator Type	None
Product Outlet Position	Тор
Construction Material	Stainless Steel Body & Lid
Working Pressure (Max)	4bar
Air Inlet Connection	6.35mm BSP Male
Product Outlet Connection	9.52mm Male BSP
Air Pressure Gauge	0 - 4bar
Product Pressure Gauge	0 - 8bar
Operating Temperature	0 - 50°C
Dimensions (up to lid)	208 x 208 x 375mm
Weight (Empty)	10.0kg

1. Maximum air inlet/fluid outlet pressure

2. Supplied as standard. Other lengths of hose are available.

Packing List

Elcometer P10TS Pressure Tank; 10 Litre

5m Combined Anti-Static Air & Product Hose $_{2}$






Package Selector

		Mixer Type						Spray Gun				Transfer Efficiency			
Part Number	Manual	Rotary	Oscillating	Combined Air & Product Hose	Air Hose	Product Hose	SagolaX 4100	Sagola Premium 419	Sagola Classic Stucco	Aircap	Needle & Nozzle	Conventional	HVLP	High Efficiency Transfer	
ELCOMETER P2-5T															
2.5L Aluminium Pressure P PP2-5T-X41-XT01B10	ot				1.8m						XT01B	1			-
PP10TMA-X41-76512					5m						765	1.20			_
PP10TMA-X41-77710					5m						777	1.00			
PP10TMA-X41-VIT12					5m						SuperVIT	1.20			
PP10TMA-X41-303012					5m						3030	1.20			
PP10TMA-X41-303014					5m						3030	1.40			
PP10TMA-X41-XT01B12					5m						XT01B	1.20			
PP10TMA-X41-XT01B14					5m						XT01B	1.40			

1. Combined Anti-Static Air & Product Hose with Protective Cover for Air Spray (Low Pressure) Systems. Air Hose (Blue): Anti-Static, EDPM with textile reinforcement, ID: 8mm x OD: 15mm with 1/4" Female Connection. Product Hose (White): Nylon (Polyamide PA12), ID: 6mm x OD: 8mm with 3/8" Female Adaptor Protective Cover (Black): Polyester.

Part Numbers

Elcometer P10T Tank; 10 Litre







Elcometer P10T 10L Stainless Steel Pressure Tank with Sagola X 4100 spray gun, SuperVIT aircap, 1.20 needle & nozzle Part Number: PP10TMA-X41-VIT12



Elcometer P10T 10L Stainless Steel Pressure Tank with Sagola X 4100 spray gun, 3030 aircap, 1.20 needle & nozzle Part Number: PP10TMA-X41-303012



Elcometer P10T 10L Stainless Steel Pressure Tank with Sagola X 4100 spray gun, 3030 aircap, 1.40 needle & nozzle Part Number: PP10TMA-X41-303014



Elcometer P10T 10L Stainless Steel Pressure Tan with Sagola X 4100 spray gun, XT01B aircap, 1.20 needle & nozzle Part Number: PP10TMA-X41-XT01B12



Elcometer P10T 10L Stainless Steel Pressure Tank with Sagola X 4100 spray gun, XT01B aircap, 1.40 needle & nozzle Part Number: PP10TMA-X41-XT01B14



Accessories

 6m Thermo Rubber Product Hose with 3/8" Female Connection

 Part Number:
 PT56414116

 I1m Thermo Rubber Product Hose with 3/8" Female Connection

 Part Number:
 PT56414117

 Part Number:
 PT56414117

 I6m Thermo Rubber Product Hose with 3/8" Female Connection

 Part Number:
 PT56414117

 Part Number:
 PT56414117

 Part Number:
 PT56414117

 Part Number:
 PT56414115







	Part Number:	emale Swivel Coupling Connections PT56414112	
n Product Hose (ID: 19mm) x OD: 23mm) with 3/4" Fe	emale Swivel Coupling Connections	
	Part Number:	PT56414111	
5m Product Hose (ID: 19m	m x OD: 23mm) with 3/4" I Part Number:	Female Swivel Coupling Connections PT56414113	
\bigcirc			
m Thermo Rubber, ID: 8m			
\bigcirc	Part Number:	PT56414118	
Sm Thermo Rubber, ID: 8m	nm x OD: 16mm with 3/8" I Part Number:		
\bigcirc			

