

# **Elcometer P2-5T Pressure Pot**

Can be used in Accordance with

#### CE, UKCA, ATEX 2 II GX



The Elcometer P2-5T Pressure Pot has a 2.5 Litre tank capacity and is suitable for use with solvent and water-based paints.

### **Features**

- Suitable for solvent and water-based paints.
- Aluminium body and lid with comfortable carry handle.
- Top outlet connection and pressure pot regulator.

## **Technical Specifications**

Tank Capacity	2.5
Agitator Type	None
Product Outlet Position	Тор
Construction Material	Aluminium body & lid
Working Pressure (Max)	3.44bar
Air Inlet Connection	6.35mm BSP Male
Product Outlet Connection	9.52mm Male BSP
Air Pressure Gauge	0 - 6bar
Operating Temperature	0 - 50°C
Dimensions (with handle)	165 x 165 x 385mm
Weight (Empty)	1.824kg
1. Maximum air inlet pressure	

2. Supplied as standard.

# Packing List

Elcometer P2-5T Aluminium Pressure Pot; 2.5 Litre 1.8m Combined Anti-Static Air & Product Hose<sub>2</sub>






# **Package Selector**

		Mi	xer Typ	be						Spray (	Gun			Transf Efficien	
Part Number	Wheel Mounted	Manual	Rotary	Oscillating	Combined Air & Product Hose	Air Hose	Product Hose	Sagola X 4100	Sagola Premium 419	Sagola Classic Stucco	Aircap	Needle & Nozzle	Conventional	НИГР	High Efficiency Transfer
ELCOMETER P2-5T 2.5L Aluminium Pressu	ure Pot														
PP2-5T-X41-XT01B10					1.8m						XT01B	1			
PP2-5T-X41-XT01B14					1.8m						XT01B	1.4			

1. Combined Anti-Static Air & Product Hose with Protective Cover for Air Spray (Low Pressure) Systems. Air Hose (Blue): Anti-Static, EDPM with textile reinforcement, ID: 8mm x OD: 15mm with 1/4" Female Connection. Product Hose (White): Nylon (Polyamide PA12), ID: 6mm x OD: 8mm with 3/8" Female Adaptor Protective Cover (Black): Polyester.

## **Part Numbers**

Elcometer P2-5T Aluminium Pressure Pot; 2.5 Litre



Elcometer P2-5T 2.5L Aluminium Pressure Pot with Sagola X 4100, XT01B aircap, 1.00 needle & nozzle Part Number: PP2-5T-X41-XT01B10



Elcometer P2-5T 2.5L Aluminium Pressure Pot with Sagola X 4100, XT01B aircap, 1.40 needle & nozzle



Part Number: PP2-5T-X41-XT01B14

1.8m Covered Anti-Static Air & Nylon Product Hose



Part Number: PT56414130

56414024

Part Number:

## Accessories

Anti-static Air Hose - 6m Ø 8x15mm







		sales@bamr.co.za_www.bamr.co.za_www.oau	
	Part Number:	PT56414028	
Anti-static Air Hose - 21m Ø 8x			
and the second second second second	Part Number:	PT56414042	
20m Covered Anti-Static Air & I		DT50444040	
and the second s	Part Number:	PT56414041	
15m Covered Anti-Static Air & I	Nylon Product Hose		
and the second s	Part Number:	PT56414040	
10m Covered Anti-Static Air & I	Nylon Product Hose		
and the second second second second second	Part Number:	PT56414044	
7.5m Covered Anti-Static Air &	Nylon Product Hose		
5m Covered Anti-Static Air & N	ylon Product Hose Part Number:	PT56414039	
Em Covered Anti Otatia Air 0 N	vien Droduct Lissa		
and the second second second second	Part Number:	PT56414130	
1.8m Covered Anti-Static Air &	Nylon Product Hose		
	Part Number:	56414026	
Anti-static Air Hose - 26m Ø 8x	15mm		
	Part Number:	56414027	
Anti-static Air Hose - 16m Ø 8x	15mm Part Number:	56414027	
		00717020	
Anti-static Air Hose - 11m Ø 8x	Part Number:	56414025	
Anti-static Air Hose - 11m Ø 8x			



	Part Number:	PT56414116
1m Thermo Rubber Product	Hose with 3/8" Female (	Connection
	Part Number:	PT56414117
16m Thermo Rubber Product	Hose with 3/8" Female (	Connection
	Part Number:	PT56414115
10m Product Hose (ID: 19mm	x OD: 26mm) with 3/4"	Female Swivel Coupling Connections
	Part Number:	PT56414112
5m Product Hose (ID: 19mm >	x OD: 23mm) with 3/4" F	emale Swivel Coupling Connections
	Part Number:	PT56414111
15m Product Hose (ID: 19mm		Female Swivel Coupling Connections
	Part Number:	PT56414113
Contraction of the second seco	n x OD: 16mm with 3/8"	Female Connection
21m Thermo Rubber, ID: 8mm		
	Part Number:	PT56414118
21m Thermo Rubber, ID: 8mm		

