

Elcometer P30B Pressure Tank

Compliance:

ATEX II 2G T60°C X
Certificate No. AP 1035



The Elcometer P30B Pressure Tank has a 30 Litre tank capacity and is suitable for material with high or standard viscosities and solvent and water-based paints.

Features

- Body and lid in stainless steel.
- Safety compliant to International Standards.
- Lower outlet connection with two outlet ports and ideal for two spray guns.
- Dual air regulator with discharge valve, to regulate spray gun and pot pressure safely.
- Lid port for faster refills and material-level observation
- Robust castor wheels for easy transportation around site.

Ideal for use with DENSE products:

	
<p>Sagola Premium 419 Pressure Spray</p>	<p>Sagola Stucco Pressure Spray Gun</p>

Ideal for use with REGULAR products:

		
<p>Sagola Mini Xtreme Pressure Spray Gun</p>	<p>Sagola X 4100 Pressure Spray Gun</p>	<p>Sagola 3300 GTO Pressure Spray Gun</p>

Technical Specifications

Part Number	Description
Tank Capacity	30 Litre
Agitator Type	None

Product Outlet Position	Lower outlet connection (x2)
Construction Material	Stainless Steel Body & Lid
Working Pressure (Max)	7bar
Air Inlet Connection	6.35mm BSP Male
Product Outlet Connection	19mm or 9.52mm BSP Male
Air Pressure Gauge	0 - 8bar
Product Pressure Gauge	0 - 12bar
Operating Temperature	0 - 50°C
Dimensions (with handle)	620 x 620 x 850mm
Weight (Empty)	52kg

1. Maximum air inlet/fluid outlet pressure
2. Supplied as standard. Other lengths of hose are available.

Packing List

Elcometer P30B Lower Outlet (x2) Pressure Pot; 30 Litre
11m Air Hose₂

Package Selector

Part Number	Wheel Mounted	Mixer Type				Spray Gun					Transfer Efficiency				
		Manual	Rotary	Oscillating	Combined Air & Product Hose	Air Hose	Product Hose	SagolaX 4100	Sagola Premium 419	Sagola Classic Stucco	Aircap	Needle & Nozzle	Conventional	HVLP	High Efficiency Transfer
ELCOMETER P30B 30I Stainless Steel Pressure Tank															
PP30B-419	■					11m		■		4.5,6 & 8		■			
PP30B-4001-28B28	■					11m			■	2.8B	2.80	■			

1. Combined Anti-Static Air & Product Hose with Protective Cover for Air Spray (Low Pressure) Systems. Air Hose (Blue): Anti-Static, EDPM with textile reinforcement, ID: 8mm x OD: 15mm with 1/4" Female Connection. Product Hose (White): Nylon (Polyamide PA12), ID: 6mm x OD: 8mm with 3/8" Female Adaptor Protective Cover (Black): Polyester.

2. Combined Anti-Static Air Hose (ID: 8mm with 1/4" Female Connection) & Product Hose (ID: 10mm with 1/4" Female Connection) with Protective Cover for Adhesive Products.

Part Numbers

Elcometer P30B Lower Outlet (x2) Pressure Pot; 30 Litre



Part Number: PP30B

P30B 30L Stainless Steel Pressure Tank with Sagola Premium 419 spray gun, 4.5, 6 & 8 aircaps



Part Number: PP30B-419

Elcometer P30B 30L Stainless Steel Pressure Tank with Sagola Stucco spray gun, 2.8B aircap, 2.80 needle & nozzle



Part Number: PP30B-4001-28B28

10m Product Hose (ID: 8mm x OD: 16mm) with 3/8" Female Swivel Coupling Connections



Part Number: PT56414112

Accessories

Anti-static Air Hose - 6m Ø 8 x 15mm



Part Number: 56414024

Anti-static Air Hose - 11m Ø 8 x 15mm



Part Number: 56414025

Anti-static Air Hose - 16m Ø 8 x 15mm



Part Number: 56414027

Anti-static Air Hose - 26m Ø 8 x 15mm



Part Number: 56414026

Anti-static Air Hose - 21m Ø 8 x 15mm



Part Number: PT56414028