

Elcometer P50T Pressure Tank

Compliance:

SPAIN: AP 1070 FBZ 2330, FRANCE: CODAP UK: BS 1101-1977, GERMANY: A.D. Merkblätter ATEX 2 II GX, 2014/68/CE, UKCA



The Elcometer P50T Pressure Tank has a 50 Litre tank capacity and is suitable for solvent and water-based paints.

Features

- Suitable for solvent and water-based paints.
- Safety compliant to International Standards.
- Stainless steel body with Teflon coated aluminium lid.
- Top outlet connection ideal for two spray guns.
- Dual air regulator with discharge valve, to regulate spray gun and pot pressure independently.
- Robust castor wheels for easy transportation around site.
- Optional stainless steel 50 Litre reusable pressure pot liner.
- Three agitator options:
 - Manual
 - Pneumatic Rotary For products which need to be continuously stirred to keep the mixture homogeneous
 - Pneumatic Oscillating Makes alternate oscillating movements through 180° for products that contain solid particles and need constant mixing

Technical Specifications

Part Number	Description
Tank Capacity	501
Agitator Type	Manual (Rotary & Oscillating Kits available)
Product Outlet Position	Тор
Construction Material	Stainless Steel Body & Teflon Coated Aluminium Lid
Working Pressure (Max)	4bar
Air Inlet Connection	6.35mm BSP Male
Product Outlet Connection	9.52mm Male BSP
Air Pressure Gauge	0 - 4bar
Product Pressure Gauge	0 - 8bar
Operating Temperature	0 - 50°C
Dimensions (with agitator)	365 x 365 x 1028mm
Weight (Empty)	45kg

1. Maximum air inlet/fluid outlet pressure

2. Supplied as standard. Other lengths of hose are available.



Packing List

Elcometer P50T Pressure Tank; 50 Litre 10m Combined Anti-Static Air & Product Hose2

Package Selector

		Mixer Type					Spray Gun					Transfer Efficiency			
Part Number	Wheel Mounted	Manual	Rotary	Oscillating	Combined Air & Product Hose	Air Hose	Product Hose	SagolaX 4100	Sagola Premium 419	Sagola Classic Stucco	Aircap	Needle & Nozzle	Conventional	НИГР	High Efficiency Transfer
ELCOMETER P50T 50L Stainless Steel Pressure	Tank														
PP50TMA-X41-76512					10m						765	1.20			
PP50TMA-X41-76514					10m						765	1.40			
PP50TMA-X41-77712					10m						777	1.20			
PP50TMA-X41-VIT12					10m						SuperVIT	1.20			
PP50TMA-X41-VIT14					10m						SuperVIT	1.40			
PP50TMA-X41-XT0312					10m						XT03	1.20			
PP50TMA-X41-303014					10m						3030	1.40			
PP50TMA-X41-XT01B12					10m						XT01B	1.20			
PP50TMA-X41-XT01B14					10m						XT01B	1.40			

1. Combined Anti-Static Air & Product Hose with Protective Cover for Air Spray (Low Pressure) Systems. Air Hose (Blue): Anti-Static, EDPM with textile reinforcement, ID: 8mm x OD: 15mm with 1/4" Female Connection. Product Hose (White): Nylon (Polyamide PA12), ID: 6mm x OD: 8mm with 3/8" Female Adaptor Protective Cover (Black): Polyester.

2. Combined Anti-Static Air Hose (ID: 8mm with 1/4" Female Connection) & Product Hose (ID: 10mm with 1/4" Female Connection) with Protective Cover for Adhesive Products.

Part Numbers


Elcometer P50T Stainless Steel Pressure Tank; 50 Litre Part Number: PP50T-MA Elcometer P50T 50L Stainless Steel Pressure Tank with Sagola X 4100 spray gun, 765 aircap, 1.20 needle & nozzle Part Number: PP50TMA-X41-76512



Elcometer P50T 50L Stainless Steel Pressure Tank with Sagola X 4100 spray gun, 765 aircap, 1.40 needle & nozzle Part Number: PP50TMA-X41-76514









Accessories





15m Covered Anti-Static Air &	& Nylon Product H	ose	
	Part Number:	PT56414041	
and the second and second and the			
A CONTRACTOR OF A CONTRACTOR OFTA CONT			
20m Covered Anti-Static Air &			
WITH ME	Part Number:	PT56414042	
10L Interchangeable Tank			
	Part Number:	PT52411607	
25L Interchangeable Tank			
3	Part Number:	PT52411608	
50L Interchangeable Tank			
	Part Number:	PT52411609	
Anti-static Air Hose - 21m Ø 8		5750///000	
	Part Number:	PT56414028	
6m Thermo Rubber Product I	Hose with 3/8" Fer	nale Connection	
	Part Number:	PT56414116	
SAGOLA C LOUR LA CONTRACT			
5A(20)			
11m Thermo Rubber Product			
	Part Number:	PT56414117	
SAGOLA SAGOLA			





BAMR 1946