

Sagola 104 PSAM Airless Pressure Spray Gun



Designed for pneumatic and electric airless system up to 250bar, the Sagola 104 PSAM Airless Pressure Spray Gun is ideal for all types of medium viscosity products. The lightweight and comfortable design of the gun guarantee extended usability during performance. Seats and closures within the spray gun are crafted from tungsten carbide for durability. Featuring a ¼" revolving coupling and filter holder, it's user-friendly and easy to operate.

Application Guide

Reversible Airless Tips

Application	Reversible Tip	Nozzle	Spray Angle	Spray width at 30cm	Air flow at 100bar	Part Number	Product Filter
Finishes	09/25	0.23mm	20°	140mm	0.25lpm	PT81461105	Red
	09/40	0.23mm	40°	178mm	0.25lpm	PT81461106	Red
	11/20	0.28mm	20°	153mm	0.37lpm	PT81461108	Red
	11/40	0.28mm	40°	190mm	0.37lpm	PT81461109	Red
Basecoats and Primers	13/20	0.33mm	20°	140mm	0.57lpm	PT81461111	Red
	13/40	0.33mm	40°	178mm	0.57lpm	PT81461112	Red
	15/20	0.38mm	20°	148mm	0.57lpm	PT81461115	Yellow
	15/40	0.38mm	40°	178mm	0.72lpm	PT81461116	Yellow
	16/40	0.38mm	40°	178mm	0.80lpm	PT81461120	Yellow
	17/40	0.43mm	40°	254mm	0.98lpm	PT81461124	Yellow
High viscosity products	17/60	0.43mm	60°	320mm	0.98lpm	PT81461125	Yellow
	18/40	0.46mm	40°	254mm	1.10lpm	PT81461128	Yellow
	18/60	0.46mm	60°	330mm	1.10lpm	PT81461129	Yellow
	19/40	0.48mm	40°	254mm	1.30lpm	PT81461133	White
Thick Coats	21/40	0.53mm	40°	279mm	1.52lpm	PT81461138	White
	23/40	0.58mm	40°	280mm	1.83lpm	PT81461143	White
	25/40	0.63mm	40°	305mm	2.13lpm	PT81461148	White
	25/60	0.63mm	60°	406mm	2.13lpm	PT81461149	White
	31/60	0.78mm	60°	400mm	2.42lpm	PT81461164	White

Airless Fixed Tips


Application	Fixed Tip	Nozzle	Spray Angle	Spray width at 30cm	Air flow at 100bar	Part Number	Product Filter
Finishes	09/25	0.23mm	25°	140mm	0.25lpm	PT81460641	Red

	09/40	0.23mm	40°	178mm	0.25lpm	PT81460642	Red
	09/65	0.23mm	65°	235mm	0.25lpm	PT81460644	Red
	11/40	0.28mm	40°	190mm	0.37lpm	PT81460650	Red
	13/25	0.33mm	25°	140mm	0.57lpm	PT81460661	Red
	13/40	0.33mm	40°	178mm	0.57lpm	PT81460662	Red
	13/65	0.33mm	65°	254mm	0.57lpm	PT81460665	Red
High viscosity products	13/80	0.33mm	80°	292mm	0.57lpm	PT81460666	Red
	15/25	0.38mm	25°	178mm	0.98lpm	PT81460672	Yellow
	15/40	0.38mm	40°	216mm	0.98lpm	PT81460673	Yellow
	15/50	0.38mm	50°	254mm	0.98lpm	PT81460674	Yellow
	15/65	0.38mm	65°	279mm	0.98lpm	PT81460675	Yellow
	15/80	0.38mm	80°	330mm	0.98lpm	PT81460676	Yellow
Thick Coats	17/100	0.43mm	100°	380mm	1.30lpm	PT81460627	Yellow
	18/40	0.46mm	40°	254mm	1.12lpm	PT81460698	Yellow
	18/65	0.46mm	65°	330mm	1.12lpm	PT81460701	Yellow
	21/40	0.53mm	40°	279mm	1.52lpm	PT81460714	White

Airless Pressure Spray Gun Filters



White 50 Mesh
Product Filter



Yellow 100 Mesh
Product Filter



Red 200 Mesh
Product Filter

Technical Specifications

Model	Sagola 104 PSAM Airless Pressure Spray Gun
Dimensions	210 x 19 x 130 mm
Weight	464g
Product Inlet Coupling	6.35mm BSP Male
Product Filter	White (50 Mesh); Yellow (100 Mesh); Red (200 Mesh)
Maximum Working Pressure	250bar
Average Sound Pressure Level	80 dB
Materials in contact with product	Anodized aluminium, chromed aluminium, POM, INOX, Teflon and Nylon

Part Numbers

Sagola 104 PSAM Airless Spray Gun with Reversible Tip Spray Guard



Part Number:

PG30170109

Sagola 104 PSAM Product Needle & Nozzle Kit (including washers)

Part Number:

PT56418230

Packing List

Sagola 104 PSAM Pressure Spray Gun

Spray Gun Product Filter - 100 Mesh (Yellow x 1)

Cleaning Needle

Wrench (x2)

Reversible Airless Spray Tip Guard

Airless Spray Tip not included

