

Sagola Mini Xtreme Mix Air Assisted Airless Spray Gun



The Sagola Mini Xtreme Mix Air Assisted Airless Spray Gun is the perfect choice for French Polishers requiring high quality finishes of UV on complex shapes or hard to reach areas.

Features

- Compact and easy to use
 - This spray gun features a 360° revolving swivel for ease and comfort of operation and prevents hoses from coiling up.
- Comfortable and lightweight
 - Further enhancing usability, this air assisted airless spray gun is small and lightweight.
- Versatile
 - Designed for use with any assisted airless pump up to 200bar (2900psi) fluid pressure

Technical Specifications

Model	Description
Dimensions	172 x 190 x 182mm - with cup
Weight	555g
Air Inlet Coupling	M16
Product Inlet Coupling	6.35mm BSP Male
Product Filter	100 Mesh
Design Pressure	200bar
Working Pressure	150 - 200bar
Air Consumption (at Aircap)	150lpm
Compliance	ATEX II 2G x (Directive 2014/34/EU)







Packing List

Sagola Mini Xtreme Mix Spray Gun, Sagola Mini Xtreme Mix Aircap

100 Mesh Product Filter (x1)

Yellow Spring (Max WP 120 bar)

Red Spring (Max WP 200 bar)

Cleaning brush

Wrench

Tungsten Carbide Needle

Nozzle Kit
Air Assisted Airless Spray Tip (x1)

Application Guide

Air Assisted Airless Spray Tips

Application	Spray Tip	Nozzle	Spray Angle	Spray width at 30cm	Air flow at 100bar	Part Number
Finishes	09/25 Standard	0.23mm	25°	140mm	0.25lpm	PT81460518
	09/40 Standard	0.23mm	40°	178mm	0.25lpm	PT81460519
	11/40 Standard	0.28mm	40°	190mm	0.37lpm	PT81460529
	11/65 Standard	0.28mm	65°	254mm	0.37lpm	PT81460531
Basecoats & Primers	13/40 Standard	0.33mm	40°		0.57lpm	PT81460540
	13/65 Standard	0.33mm	65°		0.57lpm	PT81460542
	13/80 Standard	0.38mm	80°		0.57lpm	PT81460543
	15/25 Standard	0.38mm	25°	178mm	0.72lpm	PT81460549
	15/40 Standard	0.38mm	40°	216mm	0.72lpm	PT81460550
	15/50 Standard	0.38mm	50°	254mm	0.72lpm	PT81460551
	15/65 Standard	0.38mm	65°	279mm	0.72lpm	PT81460552
	15/80 Standard	0.38mm	80°	330mm	0.72lpm	PT81460553
High viscosity products	18/40 Standard	0.46mm	40°	254mm		PT81460575
	18/65 Standard	0.46mm	65°	330mm		PT81460577
	21/40 Standard	0.53mm	40°	279mm	1.52lpm	PT81460590
	21/80 Standard	0.53mm	80°		1.52lpm	PT81460593

Part Numbers



Sagola Mini Xtreme Mix with 8mm Quick Connect Air Coupling and 1/4" Swivel Product Coupling, with Air Assisted Airless Spray Tip 11/40: 0.011"/0.28mm, 40 Degree

Part Number: PG35130202



Sagola Mini Xtreme Mix with 8mm Quick Connect Air Coupling and 1/4" Swivel Product Coupling, with Air Assisted Airless Spray Tip 13/40: 0.013"/0.33mm, 40 Degree

Part Number: PG35130206







Sagola Mini Xtreme Mix with M16 Coupling and 1/4" Swivel Product Coupling, with Air Assisted Airless Spray Tip 11/40: 0.011"/0.28mm, 40 Degree

Part Number: PG35130204



Sagola Mini Xtreme Mix with M16 Coupling and 1/4" Swivel Product Coupling, with Air Assisted Airless Spray Tip 13/40: 0.013"/0.33mm, 40 Degree

Part Number: PG35130208



Sagola Mini Xtreme Mix with Quick connector 8mm and 1/4" Standard Coupling, with Air Assisted Airless Spray Tip 11/40: 0.011"/0.28mm, 40 Degree

Part Number: PG35130201



Sagola Mini Xtreme Mix with Quick connector 8mm and 1/4" Standard Coupling, with Air Assisted Airless Spray Tip 13/40: 0.013"/0.33mm, 40 Degree

Part Number: PG35130205



Sagola Mini Xtreme Mix with M16 coupling and 1/4" Standard Coupling, with Air Assisted Airless Spray Tip 11/40: 0.013"/0.28mm, 40 Degree

Part Number: PG35130203



Sagola Mini Xtreme Mix with M16 coupling and 1/4" Standard Coupling, with Air Assisted Airless Spray Tip 13/40: 0.013"/0.33mm, 40 Degree

Part Number: PG35130207

